

宜妆金属
YIZHUANG METAL

保持真诚 Keep sincere
保持善良 Stay Kind
坚持原则 Adhere to the principle

COMPANY PROFILE

Shanghai Yizhuang Metal Co.,Ltd was established in 2015.We are a professional Manufacturer who Produce Stainless Steel Wire and also have a production workshop for stainless steel fasteners, titanium and alloy fasteners .Beside our own production Line, in order to satisfy our export Customer's specific request, we also worked With other professional factory on carbon steel.



Adhering to the "Sincerity - centered and customer' s interest first" concept. We Win a lot of long term customer in Asia, South America, middle east.

As a leading manufacturer in the industry, we have advanced production equipment and a technical team, focusing on product quality and process details. We use high-quality raw materials, undergo precise processing and strict inspection to ensure that each product is durable, environmentally friendly and easy to clean, and has antibacterial and anti-corrosion properties, while ensuring that each product meets international standards.

STAINLESS STEEL

PRODUCT DISPLAY

Stainless, Alloy Steel,titanium series

六角螺栓 Hexagon Head bolts

材质Material 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc .

标准STANDARD: DIN933,DIN931,GB5783,GB5782,ANSI18.21.JISB1180

直径Head diameter: M3-M24

螺栓长度Bolt length: 5mm-200mm



六角螺钉 Hexagon Socket (SKT) Cap Screws(Button Head/SCR CAP/SCR FLT/SCR PAN)

材质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc .

标准STANDARD: ISO7380/ ASME B18/ISO10642/DIN7991/ISO4762/DIN912

直径Head diameter: M2.5-M12/1/8' ' -1/2' ' /40-40-10-32

螺钉长度length: 5mm-200mm



自攻螺钉 SELF-TAPPING SCREWS

材质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc .

标准STANDARD: DIN968, DIN7981,DIN7982, DIN7976,GB2670, GB845,GB846

直径Head diameter: M 1.0-M12

螺丝长度length: 5mm-100mm



机螺钉MACHINE SCREWS

材质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc .

标准STANDARD: DIN967, DIN7985, DIN965,ISO7380, GB823, GB2672, GB2673, GB820

直径Head diameter: M 1.0-M12

螺丝长度 length: 5mm-200mm



组合螺钉 SEM BOLTS

质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc

标准STANDARD: ISO7380(three combination),GB2672(three combination), GB9074(three combination)

直径Head diameter: M 2-M12

螺栓长度Bolt length: 4mm-100mm



牙条Thread Bar

材质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc .

标准STANDARD:DIN975,GB15389, DIN976

直径Head diameter: M3-M36

螺栓长度Bolt length: 1-6M



螺柱Stud bolt

材质Material : 304 316 2205 2507 201, 1.4462, 1.4410, Alloy Steel,TA1、TA2 etc

标准STANDARD:DIN938, DIN939

直径Head diameter: M3-M36

螺柱长度Bolt length: 20-200MM



膨胀螺栓Expansion Bolts (Wedge Anchor,Mechanical Anchor, chemical expansion bolt)

材质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 Carbon Steel .

标准STANDARD:Standard inch,American and Metric Size

直径Head diameter: M6-M24

螺柱长度Bolt length: 60-300MM



法兰螺栓 Flange Bolts

材质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc

标准STANDARD:Standard inch,American and Metric Size

直径Head diameter: M5-M20

螺柱长度Bolt length: 5-200MM



U型螺栓 U Bolts

材质Material : 304 316 2205 2507 201, Alloy Steel,TA1、TA2 etc

标准STANDARD:Standard inch,American and Metric Size

直径Head diameter: M6-M16

螺柱长度Bolt length: 8-200MM



PRODUCT DISPLAY

吊环螺栓 Lifting Eye Bolts
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN580
直径Head diameter: M3-M48
螺柱长度Bolt length: 10-200MM



外六角螺母 Hex Nut
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN555, ISO4034,ISO4032,GB 6170,DIN934,etc
直径Head diameter: M3-M64



K型螺母 Kep Nut
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:GB930, DIN34818
直径Head diameter: M3-M64



盖型螺母 NUT, ACORN CAP(Hex Domed Cap Nuts)
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN 1587
直径Head diameter: M3-M64



尼龙防松螺母 Nylon Lock Nut
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN982
直径Head diameter: M2-M39



六角法兰螺母 Hexagon Nuts With Flange
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN6923
直径Head diameter: M5-M20



蝶形螺母 Wing Nut
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN315
直径Head diameter: M3-M16



六角开槽螺母 Hexagon Slotted Nuts/Castle Nut
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN935
直径Head diameter: M4-M100



加长螺母 Hexagon Long Nuts
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN6334
直径Head diameter: M3-M24



四方螺母 Square Nuts
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN557
直径Head diameter: M3-M24



球形锥形垫片 Spherical &Conical Washer
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:GB849&GB850
直径Head diameter: M6-M36



平垫片 Flat Washer
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN125
直径Head diameter: M3-M24



弹簧垫片 Spring Washer
材质Material : 304 316 2205 2507 201 , Alloy Steel,TA1、 TA2 etc
标准STANDARD:DIN127
直径Head diameter: M3-M24



平行键 PARALLEL KEY A
材质Material : 304 316 2205 2507 201 1.4462 Alloy Steel,TA1、 TA2 etc
标准STANDARD:GB/T 1096-2003、 ISO 6883、 DIN 6885
尺寸 Size: Any Size as request



平行键PARALLEL KEY B
材质Material : 304 316 2205 2507 201 1.4462 Alloy Steel,TA1、 TA2 etc
标准STANDARD:GB/T 1096-2003、 ISO 6883、 DIN 6885
尺寸 Size: Any Size as request



Other Advantage Serious

-Carbon Steel&High Strength Fasteners



Grade:4.8 6.8 8.8 10.9 12.9, B5,B7,2H, Q235, 45#, 65Mn、 70# and so on

Surface Treatment:Zinc Plated, Hot Dip Galvanizing, Oxide Black,phosphatizing, Dacromet,Teflon,Nickle Plated, Silver Plated,chrome plating

Standard: ISO 7091, DIN EN ISO 7091, GB /T 95, DIN 125-2, GB 7244 - 1987,DIN 128,DIN137,DIN 6798-V,CNS 4404, DIN434,ISO 898-2、 GB/T 6170、 DIN EN ISO 898-2、 ASTM A563 ASTM A193

Related Product Photos:

Screw And Bolts:



Nuts:



Washers:

